

TESTING LABORATORY

Vino Matyšák s.r.o., Glejovka 10/A, 902 01 Pezinok, Slovakia

Telefón 0905167212, 0915694347

e mail: miklovicova@vinomatysak.sk

Sequence number of the sample: 126

Date of issue: 21.5.2019

Lists number: 1

Test record No. 126 / 2019

Customer:	Vino Mrva & Stanko , a.s., Orešianská 7/A, 917 01 Trnava		
Sample:	víno s CHOP akostné VÝBER Z HROZNA, biele- polosuché		
Identifikation:	PÁLAVA	roč.2018	L21 Čachtice
Producer:	Vino Mrva & Stanko , a.s., Orešianská 7/A, 917 01 Trnava		
Packing:	0,75 l	Number of bottles produced: 5 330	
Test object:	General analysis	Date performance of tests: 21.5.2019	
Delivered sample:	21.5.2019	Sample delivered: V. Mrva	

Results

Examining parameters :	Unit	Final result:	Applied method:	Test type
Alcohol	(%obj.) :	13,3	STN 56 0216 -30	
Potential alcohol	(%obj.) :	14,26		
Extract	(g.l ⁻¹) :	-	STN 56 0216 - 9	
Sugar	(g.l ⁻¹):	16,0	STN 56 0216 -44	
Extract without sugar	(g.l ⁻¹) :	-	STN 56 0216 - 9	
Total acidity:	(g.l ⁻¹) :	6,5	STN 56 0216 - 33	
Volatile acidity:	(g.l ⁻¹) :	0,5	STN 56 0216 -36	
SO ₂ free:	(mg.l ⁻¹) :	42	STN 56 021-47	
SO ₂ total	(mg.l ⁻¹) :	106	STN 56 0216-48	
Pressure in the bottle.(10 ³ hPa):		-	STN 56 0216-62	

Tests Results relate to only test samples. Test record was issued in 3 original copy. It can be reproduced merely complete and may be realized only with permit.

Person responsible for the correctness: Dana Miklovičová (quality manager)

VÍNO MATYŠÁK s.r.o.
HOLUBYHO 85, 902 01 PEZINOK
Tel.: 033/6411272 Tel.: 033/641354
IČO: 35836113 DIČ: 2020205836
IČ DPH: SK2020205836

